

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Jeff A. ZABLOCKI, et al.
Title: N-PYRAZOLE A2A ADENOSINE
RECEPTOR AGONISTS
Patent. No.: 6,403,567
Issue Date: 6/11/2002
Examiner: Crane, Lawrence
Art Unit: 1623
Confirmation 1072
Number:

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.323

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed is a Certificate of Correction, PTO/SB44, for United States Patent Number 6,403,567 issued June 11, 2002. The following typographical errors appear in the issued patent:

In Col. 20, line 52, the word “purposes” should be replaced with --purpose--.

On the front page, Field (57), in the Abstract, the word “vasodilatation” should be replaced with --vasodilation--.

The correction requested in column 20, line 52, is a spelling error. The requested change to the front page is a typographical correction. While "vasodilatation" and "vasodilation" have identical meanings, the correction herein ensures consistent usage throughout the patent.

Thus, Patentee submits that the above changes would not constitute new matter, and correction thereof would not require reexamination.

Pursuant to 37 C.F.R. §1.323, Patentee requests that the enclosed Certificate of Correction be approved.

Since at least one of the noted errors is not the fault of the Patent Office, payment is enclosed of the required fee of \$100.00.

The above-identified fees are being paid by credit card via EFS-Web.

The Commissioner is hereby authorized to charge any additional fees which may be required regarding this patent under 37 C.F.R. §§ 1.16-1.17, or credit any overpayment, to Deposit Account No. 19-0741. Should no proper payment be enclosed herewith, as by the credit card payment instructions in EFS-Web being incorrect or absent, resulting in a rejected or incorrect credit card transaction, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 19-0741.

Respectfully submitted,

Date September 16, 2011

FOLEY & LARDNER LLP
Customer Number 88984
975 Page Mill Rd
Palo Alto, California 94304-1013
Telephone: (650) 251-1104
Facsimile: (650) 856-3710

By Alexandra Reg. 60,523

Lorna L. Tanner
Lorna L. Tanner
Attorney for Patentee
Registration No. 50,782

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,403,567
APPLICATION NO.: 09/338,185
ISSUE DATE : June 11, 2002
INVENTOR(S) : Jeff A. ZABLOCKI, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20

Line 52, the word "purposes" should be replaced with --purpose--.

Front Page

Field (57), in the Abstract, the word "vasodilatation" should be replaced with --vasodilation--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

FOLEY & LARDNER LLP
975 Page Mill Road
Palo Alto, CA 94304-1013

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,403,567
APPLICATION NO.: 09/338,185
ISSUE DATE : June 11, 2002
INVENTOR(S) : Jeff A. ZABLOCKI, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20

Line 52, the word "purposes" should be replaced with --purpose--.

Front Page

Field (57), in the Abstract, the word "vasodilatation" should be replaced with --vasodilation--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

FOLEY & LARDNER LLP
975 Page Mill Road
Palo Alto, CA 94304-1013

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.